

CGFC



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

December 20, 2006

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *Klerelid et al.*
Application No. 10/803,261; Filed March 18, 2004
Patent No. 7,112,258; Issued September 26, 2006
Our File 031039/275804

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Kevin R. Lyn
Registration No. 42,818

Certificate
of Correction
DEC 27 2006

KRL:nwc
Enclosures

LEGAL02/30187810v1

MAN - 8 2007

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,112,258 B2

Page 1 of 1

APPLICATION NO. : 10/803,261

ISSUE DATE : September 26, 2006

INVENTOR(S) : Klerelid et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10.

Line 5, after "device" insert --and--;

Line 12, "con figured" should read --configured--.

Column 12.

Line 6, after "nip" cancel "with" and "space" should read --spaced--;

Line 8, "dispose" should read --disposed--;

Line 10, "between reel" should read --between a reel--;

Line 23, "0.156" should read --0.15--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

MAN - 8 2007

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,112,258 B2

Page 1 of 1

APPLICATION NO. : 10/803,261

ISSUE DATE : September 26, 2006

INVENTOR(S) : Klerelid et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10.

Line 5, after "device" insert --and--;

Line 12, "con figured" should read --configured--.

Column 12.

Line 6, after "nip" cancel "with" and "space" should read --spaced--;

Line 8, "dispose" should read --disposed--;

Line 10, "between reel" should read --between a reel--;

Line 23, "0.156" should read --0.15--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

11/21/06 - 3 007